
on them, preferably reference an ontology of related task information, which including allowable task methods and function allocations, parameters, parameter values and the like. A task template forms a specification to be used by a task elaborator which finds one or more task instances conforming to the specification in the context of an environmental state definition. The set of instances so determined is analyzed by means of human workload estimation, simulation or real-world exercises.



Page 14 of 20





Fig. 3






Fig. 5




Fig. 6




Fig. 7




Fig. 8







Fig. 9(a)

Fig. 9(b)

PVACS - PBSESS224 - INITIAL -STATE AHS  FIG. Edit View Dobug Heb  DICTURE - TO BRIDE - STATE AH AND	Playbook	- (=)	
Tree View Layout   Timeline	uav 101		
Overwatch request	target ALPHA		
	destage-location DESTAGE	-101	
	earliest time on target		
	latest time on target		
	earliest time off target		
	latest time off target		
Per emeters   Route    Name   Value    Stest time on target   ANY    Stest time of target   16:35:00    Larget   AL PHA   V  BRAYO    Stealth   BR	Plan N	lap (	
Recipient 192.168.100.145 Platform  Ready	Fig. 10(b)	Fig. 10(b)	
Fig. 10(a)	•		







Page 19 of 20 BEST-AVAILABLE COPY



Fig. 14(a)





Fig. 14(c)






Fig. 14(d)